



## TECHNICAL DATA

# Scapa 335

## Taśma Alumiuniowa

### OPIS

Scapa 335 jest to miękka folia aluminiowa z klejem akrylowym i przekładką z papieru silikonowego. Dostępna jest w kolorze aluminium.

### ZASTOSOWANIE

- Zamykanie izolacji sztywnych kanałów wentylacyjnych
- Używana jako odbicie ciepła
- Do zastosowań wymagających detekcji przez uzbrojenie fotoelektryczne

### ZALETY PRODUKTU

- Bardzo miękka i bardzo wygodna
- Łatwa do przerywania
- Samo aluminium wygląda jak to używane w kanałach powietrznych
- Wytrzymałość temperaturowa -20 do +110°C

## WŁAŚCIWOŚCI TECHNICZNE

	Jednostka	Wartość nominalna	Metoda testu
Całkowita grubość	mm	0,08 ± 0,02	AFERA 4006
Siła zrywająca	N/cm	25	AFERA 4004
Wydłużenie do zerwania	%	5	AFERA 4005
Przyczepność do stali	N/cm	5	AFERA 4001
Przyczepność do nawierzchni	N/cm	5,50	AFERA 4001
Klasyfikacja U.L.: • rozprzestrzenianie się ognia • zadymienie	-	5 0	U.L. 723

## STANDARDOWE ROZMIARY

- Długość rolki: 50m
- Szerokość rolki: 38mm, 50mm, 63mm, 75mm, 100mm
- Rdzeń: 76mm
- Oznakowanie: Scapa lub neutralne
- Pakowanie: luzem

## ZASADY MAGAZYNOWANIA

*Rolki taśmy powinny być przechowywane w pozycji leżącej prostopadłej do krawędzi cięcia w oryginalnych opakowaniach. Rolki muszą być zabezpieczone przed kurzem, wilgocią, bezpośrednim nasłonecznieniem oraz oparami rozpuszczalników Temperatura składowania powinna wynosić pomiędzy +10°C a +25°C..*

*Powierzchnia powinna być czysta, sucha oraz bez kurzu, tłuszczu, olejów i innych zanieczyszczeń.*

**www.scapa.com**

The information supplied is accurate to the best of Scapa's knowledge and is based upon all current data available to it. Properties quoted are typical and do not therefore constitute a specification. Customers must complete their own assessment of the product for its intended application under their own conditions. Our technical advice is to be regarded as an expression of opinion only and although such advice is given in good faith, it shall not, in any circumstances, be regarded as the basis of or as being a representation or statement of fact. This applies also where propriety or protective rights of third parties are involved. Any liability arising in respect of our products will be strictly limited to the value of those products charged to the customer and shall not extend to any consequential loss whatsoever and howsoever arising. Freedom from Patent Rights must not be assumed. This document does not form part of any contract with a customer.