



Technical  
**DATA**

## Scapa 3120

Mid Range, Strong, Waterproof Cloth Tape

---

### DESCRIPTION

Scapa 3120 is a medium performance, strong, polyethylene coated 70mesh, waterproof cloth tape, coated with a pressure sensitive adhesive. Scapa 3120 is available in a full range of colours including black, white, silver, red, yellow, blue and green.

### APPLICATIONS

- Ideal for general purpose applications where added strength and performance required.
- Joining and splicing applications.
- Colour coding and identification.
- Carpet joining and edging.
- Masking applications.
- Double glazing unit sealing.
- Heavy duty and export packaging for drum sealing and colour coding.
- Fixing and holding of wires and cables, especially on film sets.
- Duct sealing – covering joints in hot air and insulating material.

### PRODUCT BENEFITS

- Good all round performance service temperature: -20°C to 80°C.
- Low and high temperature performance.
- Peels off easily after use.
- Easy tear.
- Good unwind.
- Good initial tack and ultimate adhesion.
- Highly flexible and conformable.
- Good strength.
- Excellent waterproof properties.

## TECHNICAL PROPERTIES

Technical Property	Nominal Value	Unit	Test Method
Adhesion to Backing	2.5	N/cm	IEC 454-2
Adhesion to Steel	4	N/cm	IEC 454-2
Tensile Strength	48	N/cm	ICE454-2
Thickness	0.26	mm	AFERA 5006*

## STANDARD PRESENTATIONS

- Core: Cardboard
- Packaging: Bulk packed using interleaving sheets between layers
- Roll Length: 25m, 50m
- Roll Width: 19mm, 25mm, 38mm, 50mm, 75mm, 100mm

*Note:*

*Note: Information on stock items, non standard sizes and lead times is available on request*

## RECOMMENDATIONS

The roll should be stored flat on their cut edges in the original packaging, until required for use. The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes. Shelf life will vary with conditions of use and is affected by climatic environment, but should not be less than two years from date of manufacture, if stored in a moderate climate and good conditions.